REFERENCES

A. O. Olaniyi, A. M. A., M. F. Ramli, A. M. Sood. (2013). Agricultural Land Use In Malaysia and Implications For Food Security. *Bulgarian Journal of Agricultural Science, 19* 60-69.

Abdullah, N., & Sulaim, F. (2013). The Oil Palm Wastes in Malaysia. doi: 10.5772/55302

Acharjee, T. C., Coronella, C. J., & Vasquez, V. R. (2011). Effect of thermal pretreatment on equilibrium moisture content of lignocellulosic biomass. *Bioresour Technol, 102*(7), 4849-4854. doi: 10.1016/j.biortech.2011.01.018

AIM. (2013) National Biomass Strategy 2020: New wealth creation for Malaysia's biomass industry. Kuala Lumpur: Agensi Inovasi Malaysia

Akhtar, J., & Amin, N. A. S. (2011). A review on process conditions for optimum bio-oil yield in hydrothermal liquefaction of biomass. *Renewable and Sustainable Energy Reviews, 15*(3), 1615-1624. doi: 10.1016/j.rser.2010.11.054

Arias, B., Pevida, C., Fermoso, J., Plaza, M. G., Rubiera, F., & Pis, J. J. (2008). Influence of torrefaction on the grindability and reactivity of woody biomass. *Fuel Processing Technology*, *89*(2), 169–175. http://doi.org/10.1016/j.fuproc.2007.09.002

Asadieraghi, M., & Daud, W. M. A. W. (2015). In-depth investigation on thermochemical characteristics of palm oil biomasses as potential biofuel sources. *Journal of Analytical and Applied Pyrolysis*, *115*, 379–391. http://doi.org/10.1016/j.jaap.2015.08.017

Asadullah, M., Adi, A. M., Suhada, N., Malek, N. H., Saringat, M. I., & Azdarpour, A. (2014). Optimization of palm kernel shell torrefaction to produce energy densified bio-coal. *Energy Conversion and Management*, *88*, 1086–1093. http://doi.org/10.1016/j.enconman.2014.04.071

Awalludin, M. F., Sulaiman, O., Hashim, R., & Nadhari, W. N. A. W. (2015). An overview of the oil palm industry in Malaysia and its waste utilization through thermochemical conversion, specifically via liquefaction. *Renewable and Sustainable Energy Reviews*, *50*, 1469–1484. http://doi.org/10.1016/j.rser.2015.05.085

Basu, P. (2013). *Biomass Gasification, Pyrolysis and Torrefaction*. *Biomass Gasification, Pyrolysis and Torrefaction*. http://doi.org/10.1016/B978-0-12-

396488-5.00013-7

Bates, R. B., & Ghoniem, A. F. (2012). Biomass torrefaction: modeling of volatile and solid product evolution kinetics. *Bioresour Technol, 124*, 460-469. doi: 10.1016/j.biortech.2012.07.018

Center, S. E. R. (2016). Scanning Electron Microscopy (SEM). from http://serc.carleton.edu/research_education/geochemsheets/techniques/SEM.html

Chen, W. H., Zhuang, Y. Q., Liu, S. H., Juang, T. T., & Tsai, C. M. (2016). Product characteristics from the torrefaction of oil palm fiber pellets in inert and oxidative atmospheres. *Bioresour Technol, 199*, 367-374. doi: 10.1016/j.biortech.2015.08.066

Chew, J. J., & Doshi, V. (2011). Recent advances in biomass pretreatment – Torrefaction fundamentals and technology. *Renewable and Sustainable Energy Reviews, 15*(8), 4212-4222. doi: 10.1016/j.rser.2011.09.017

Chin, K. L., H'ng, P. S., Go, W. Z., Wong, W. Z., Lim, T. W., Maminski, M., … Luqman, A. C. (2013). Optimization of torrefaction conditions for high energy density solid biofuel from oil palm biomass and fast growing species available in Malaysia. *Industrial Crops and Products, 49*, 768–774. http://doi.org/10.1016/j.indcrop.2013.06.007

Chong, C., Ni, W., Ma, L., Liu, P., & Li, Z. (2015). The Use of Energy in Malaysia: Tracing Energy Flows from Primary Source to End Use. *Energies, 8*(4), 2828-2866. doi: 10.3390/en8042828

Colomba Di Blasi, M. L. (1997). Intrinsic kinetics of isothermal xylan degradation in inert atmosphere. *Journal of Analytical and Applied Pyrolysis, 40-41*, 287-303.

Commission, E. (1997). *Energy for the future: Renewable sources of energy*. White Paper for a Community Strategy and Action Plan.

Demirbas, A. (2009) *Biohydrogen* (1 ed.). New York: Springer.

Dietenberger, M. A., & Hasburgh, L. E. (2016). *Wood Products: Thermal Degradation and Fire*. *Reference Module in Materials Science and Materials Engineering*. Elsevier Ltd. http://doi.org/10.1016/B978-0-12-803581-8.03338-5

Granados, D. A., Vel ásquez, H. I., & Chejne, F. (2014). Energetic and exergetic evaluation of residual biomass in a torrefaction process. *Energy, 74*, 181-189. doi: 10.1016/j.energy.2014.05.046

Hisham, M., Uemura, Y., & Tazli, M. (2016). Torrefaction of Empty Fruit Bunches in Inert Condition at Various Temperature and Time. *Procedia Engineering, 148*,

573–579. http://doi.org/10.1016/j.proeng.2016.06.514

Japanese company plans to turn oil palm waste to biofuel in Malaysia. (2006). from http://english.people.com.cn/200606/26/eng20060626_277455.html

Kelly-Yong, T. L., Lee, K. T., Mohamed, A. R., & Bhatia, S. (2007). Potential of hydrogen from oil palm biomass as a source of renewable energy worldwide. *Energy Policy, 35*(11), 5692-5701. doi: 10.1016/j.enpol.2007.06.017

Kolokolova, O., Levi, T., Pang, S., & Herrington, P. (2013). Torrefactions and pyrolysis of biomass waste in continuous reactors. *Cest2013*.

Li, T., Wang, L., Ku, X., Güell, B. M., Løvås, T., & Shaddix, C. R. (2015). Experimental and modeling study of the effect of torrefaction on the rapid devolatilization of biomass. *Energy and Fuels*, *29*(7), 4328–4338. http://doi.org/10.1021/acs.energyfuels.5b00348

Lieve Helsen, E. V. d. B. (2000). Kinetics of the low-temperature pyrolysis of chromated copper arsenate-treated wood. *Journal of Analytical and Applied Pyrolysis*, *53*, 51-79.

Lim, S., & Teong, L. K. (2010). Recent trends, opportunities and challenges of biodiesel in Malaysia: An overview. *Renewable and Sustainable Energy Reviews, 14*(3), 938-954. doi: 10.1016/j.rser.2009.10.027

Lu, K. M., Lee, W. J., Chen, W. H., Liu, S. H., & Lin, T. C. (2012). Torrefaction and low temperature carbonization of oil palm fiber and Eucalyptus in nitrogen and air atmospheres. *Bioresour Technol, 123*, 98-105. doi: 10.1016/j.biortech.2012.07.096

Ludin NA, M. M., Hashim M, Sawilla B, Menon NR, Mokhtar H. (2004). Palm oil biomass for electricity generation in Malaysia. from http://www.biogen.org.my/bris/BioGen/Tech/(d)Documents/technology(d)7.pdf

M. Hasan, A. L. A., B.H. Hameed. (2008). Adsorption of reactive dye onto cross-linked chitosan/oil palm ash composite beads. *Chemical Engineering Journal, 136*, 164-172.

Matali, S., Rahman, N. A., Idris, S. S., Yaacob, N., & Alias, A. B. (2016). Lignocellulosic Biomass Solid Fuel Properties Enhancement via Torrefaction. Procedia *Engineering*, *148*, 671–678. http://doi.org/10.1016/j.proeng.2016.06.550

Mohamed, A. R., Mohammadi, M., & Darzi, G. N. (2010). Preparation of carbon molecular sieve from lignocellulosic biomass: A review. *Renewable and Sustainable Energy Reviews, 14*(6), 1591-1599. doi: 10.1016/j.rser.2010.01.024

Mohammed, M. A. A., Salmiaton, A., Wan Azlina, W. A. K. G., Mohammad Amran, M. S., Fakhru'l-Razi, A., & Taufiq-Yap, Y. H. (2011). Hydrogen rich gas from oil palm biomass as a potential source of renewable energy in Malaysia. *Renewable and Sustainable Energy Reviews, 15*(2), 1258-1270. doi: 10.1016/j.rser.2010.10.003

Mundi, I. (2015). Palm Oil Exports by Country. Available from United States Department of Agriculture, from IndexMundi

Na, B.-I., Kim, Y.-H., Lim, W.-S., Lee, S.-M., Lee, H.-W., & Lee, J.-W. (2013). Torrefaction of oil palm mesocarp fiber and their effect on pelletizing. *Biomass and Bioenergy, 52*, 159-165. doi: 10.1016/j.biombioe.2013.02.041

Ng, W. P. Q., Lam, H. L., Ng, F. Y., Kamal, M., & Lim, J. H. E. (2012). Waste-to-wealth: green potential from palm biomass in Malaysia. *Journal of Cleaner Production, 34*, 57-65. doi: 10.1016/j.jclepro.2012.04.004

PalmOilWorld.org. (2013). Malaysian Plam Oil Industry. from http://www.palmoilworld.org/about_malaysian-industry.html

Peng, J. H. (2012). *A STUDY OF SOFTWOOD TORREFACTION AND DENSIFICATION FOR THE PRODUCTION OF HIGH QUALITY WOOD PELLETS.* THE UNIVERSITY OF BRITISH COLUMBIA.

Poudel, J., Ohm, T. I., Gu, J. H., Shin, M. C., & Oh, S. C. (2016). Comparative study of torrefaction of empty fruit bunches and palm kernel shell. *Journal of Material Cycles and Waste Management*, 1–11. http://doi.org/10.1007/s10163-016-0492-1

Power, C. E. (2006). Chubu Electric Power to engage in Malaysian project to generate power from oil palm empty fruit bunch biomass– first Chubu Electric Power project in Malaysia. from http://www.chuden.co.jp/english/corporate/press2006/0728_1.html

Prins, M. J., Ptasinski, K. J., & Janssen, F. J. J. G. (2006). Torrefaction of wood. *Journal of Analytical and Applied Pyrolysis, 77*(1), 28-34. doi: 10.1016/j.jaap.2006.01.002

Pudukudy, M., Yaakob, Z., Mohammad, M., Narayanan, B., & Sopian, K. (2013). Renewable hydrogen economy in Asia – Opportunities and challenges: An overview. http://doi.org/10.1016/j.rser.2013.11.015

Richard B. Bates, A. F. G. (2012). Biomass torrefaction: Modeling of volatile and solid product evolution kinetics. *Bioresource Technology*, *124*, 460–469. doi: 10.1016/j.biortech.2012.07.018

Sabil, K. M., Aziz, M. A., Lal, B., & Uemura, Y. (2013a). Effects of torrefaction on the physicochemical properties of oil palm empty fruit bunches, mesocarp fiber and kernel shell. *Biomass and Bioenergy*, *56*, 351–360. http://doi.org/10.1016/j.biombioe.2013.05.015

Sabil, K. M., Aziz, M. A., Lal, B., & Uemura, Y. (2013b). Synthetic indicator on the severity of torrefaction of oil palm biomass residues through mass loss measurement. *Applied Energy*, *111*, 821–826. http://doi.org/10.1016/j.apenergy.2013.05.067

Sarvaramini, A., Assima, G. P., & Larachi, F. (2013). Dry torrefaction of biomass – Torrefied products and torrefaction kinetics using the distributed activation energy model. *Chemical Engineering Journal, 229*, 498-507. doi: 10.1016/j.cej.2013.06.056

Shang, Ahrenfeldt, Jesper Holm, Kai, J., Bach, L. S., Stelte, W., & Henriksen, U. B. (2014). Kinetic model for torrefaction of wood chips in a pilot-scale continuous reactor. *Journal of Analytical and Applied Pyrolysis*, *108*, 109-116. doi: 10.1016/j.jaap.2014.05.010

Shang, L., Fei, Q., Zhang, Y. H., Wang, X. Z., Fan, D.-D., & Chang, H. N. (2011). Thermal Properties and Biodegradability Studies of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate). *Journal of Polymers and the Environment, 20*(1), 23-28. doi: 10.1007/s10924-011-0362-9

Shawabkeh, R., Al-Harahsheh, A., & Al-Otoom, A. (2004). Copper and zinc sorption by treated oil shale ash. *Separation and Purification Technology, 40*(3), 251-257. doi: 10.1016/j.seppur.2004.03.006

Shuit, S. H., Tan, K. T., Lee, K. T., & Kamaruddin, A. H. (2009). Oil palm biomass as a sustainable energy source: A Malaysian case study. *Energy, 34*(9), 1225-1235. doi: 10.1016/j.energy.2009.05.008

Stelte, W., Nielsen, N. P. K., Hansen, H. O., Dahl, J., Shang, L., & Sanadi, A. R. (2013). Pelletizing properties of torrefied wheat straw. *Biomass and Bioenergy, 49*, 214-221. doi: 10.1016/j.biombioe.2012.12.025

Tapasvi, D., Khalil, R., Várhegyi, G., Tran, K.-Q., Grønli, M., & Skreiberg, Ø. (2013). Thermal Decomposition Kinetics of Woods with an Emphasis on Torrefaction. *Energy & Fuels*, *27*(10), 6134-6145. doi: 10.1021/ef4016075

Thanapal, S. S., Chen, W., Annamalai, K., Carlin, N., Ansley, R. J., & Ranjan, D. (2014). Carbon Dioxide Torrefaction of Woody Biomass. *Energy & Fuels, 28*(2), 1147-1157. doi: 10.1021/ef4022625

Tumuluru, J. S., Sokhansanj, S., Hess, J. R., Wright, C. T., & Boardman, R. D. (2011). A review on biomass torrefcation process and product properties for energy applications. *Industrial Biotechnology*, *7*(5), 384–401. http://doi.org/10.1089/ind.2011.0014

Uemura, Y., Omar, W. N., Tsutsui, T., & Yusup, S. B. (2011). Torrefaction of oil palm wastes. *Fuel*, *90*(8), 2585–2591. http://doi.org/10.1016/j.fuel.2011.03.021

Uemura, Y., Omar, W. N., Tsutsui, T., Yusup, S. B., Friends of the Earth, Basiron, Y., … Wahjoedi, B. a. . (2013). Oil palm biomass as a sustainable energy source: A Malaysian case study. *Biomass and Bioenergy*, *3*(1), 97–103. http://doi.org/10.1016/j.jclepro.2012.04.004

Van der Stelt, M. J. C. (2011). Chemistry and reaction kinetics of biowaste torrefaction. *(Ph.D. thesis)*.

Van der Stelt, M. J. C., Gerhauser, H., Kiel, J. H. A., & Ptasinski, K. J. (2011). Biomass upgrading by torrefaction for the production of biofuels: A review. *Biomass and Bioenergy*. doi: 10.1016/j.biombioe.2011.06.023

W. H. Chen, P.-C. (2011). Isothermal torrefaction kinetics of hemicellulose, cellulose, lignin and xylan using thermogravimetric analysis. *Energy*, *36*(11), 6451-6460. doi: 10.1016/j.energy.2011.09.022

Wang, L., Várhegyi, G., & Skreiberg, Ø. (2014). CO2Gasification of Torrefied Wood: A Kinetic Study. *Energy & Fuels, 28*(12), 7582-7590. doi: 10.1021/ef502308e

Yaman, S. (2004). Pyrolysis of biomass to produce fuels and chemical feedstocks. *Energy Conversion and Management, 45*(5), 651-671. doi: 10.1016/s0196-8904(03)00177-8

Zainudin, N., Lee, K., Kamaruddin, A., Bhatia, S., & Mohamed, A. (2005). Study of adsorbent prepared from oil palm ash (OPA) for flue gas desulfurization. *Separation and Purification Technology, 45*(1), 50-60. doi: 10.1016/j.seppur.2005.02.008

Zheng, A., Zhao, Z., Huang, Z., Zhao, K., Wei, G., Wang, X., … Li, H. (2014). Catalytic fast pyrolysis of biomass pretreated by torrefaction with varying severity. *Energy & Fuels*, 140811003216003. http://doi.org/10.1021/ef500892k